

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/813110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 11:36
S2	12	700/3 and orientation and mode and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 11:39
S3	1	700/3 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 11:43
S4	1	700/3 and (difference error) with orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 11:43
S5	0	700/9 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 11:43
S6	0	700/13 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 11:49
S7	0	700/40 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 11:49
S8	0	700/56 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 11:49
S9	0	700/57 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 11:49
S10	0	700/61 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 11:49

S11	0	700/62 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 11:49
S12	3	700/65 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:16
S13	0	700/66 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:16
S14	0	700/67 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:16
S15	0	700/69 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:16
S16	0	700/70 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:17
S17	0	700/75 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:17
S18	0	700/169 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:17
S19	0	700/172 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:17
S20	0	700/177 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:17

S21	0	700/178 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:17
S22	0	700/186 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:17
S23	0	700/190 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:17
S24	0	700/192 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:18
S25	0	700/193 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:18
S26	13	700/245 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:18
S27	2	700/247 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:25
S28	7	700/248 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:25
S29	0	700/249 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:25
S30	1	700/250 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:25

S31	6	700/262 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:25
S32	0	700/302 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:26
S33	17	"700"/\$ and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:27
S34	1	709/208 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:27
S35	0	709/209 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:27
S36	0	709/210 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:27
S37	0	709/211 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:27
S38	2	"709"/\$ and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:28
S39	0	340/3.1 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:28
S40	0	340/3.9 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:28

S41	24	"340"/\$ and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:30
S42	0	702/150 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:30
S43	0	702/151 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:30
S44	0	702/152 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:31
S45	0	702/153 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:31
S46	0	702/154 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:31
S47	0	"702"/\$ and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:31
S48	18	"600"/\$ and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:33
S49	18	"901"/\$ and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:39
S50	3	318/566 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:39

S51	13	318/568.11 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:40
S52	4	318/568.16 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:41
S53	1	318/568.17 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:41
S54	4	318/568.2 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:41
S55	3	318/568.22 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:42
S56	3	318/568.21 and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:42
S57	18	"318"/\$ and orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:44
S58	4	absolute and (difference error) with orientation with (slave master) and mode with (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:45
S59	8	absolute and (difference error) with orientation with (slave master) and mode same (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:46
S60	2	absolute same (difference error) same orientation same (slave master) and mode same (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:47

S61	59	absolute and (difference error) same orientation same (slave master) and mode same (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:47
S62	17	absolute and (difference error) same orientation same (slave and master) and mode same (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:48
S63	19	absolute and (difference error) same orientation same ((slave end) and master) and mode same (slave master) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:49
S64	104	master and (slave end near effector) and orientation near3 (master and (slave end near effector)) mode same (master slave) same (error difference) near3 orientation same absolute and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:52
S65	0	master and (slave end near effector) and orientation near3 (master and (slave end near effector)) and mode same (master slave) same (error difference) near3 orientation same absolute and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:52
S66	0	master and (slave end near effector) and orientation near3 (master and (slave end near effector)) and mode same (master slave) and (error difference) near3 orientation same absolute and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:53
S67	0	master and (slave end near effector) and orientation near3 (master and (slave end near effector)) and mode and (error difference) near3 orientation same absolute and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:53
S68	0	master and (slave end near effector) and orientation near3 (master and (slave end near effector)) and (error difference) near3 orientation same absolute and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:53

S69	7	master and (slave end near effector) and orientation near3 (master and (slave end near effector)) and (error difference) near3 orientation and absolute and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:54
S70	6	master and (slave end near effector) and orientation near3 (master and (slave end near effector)) and mode and (error difference) near3 orientation and absolute and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:54
S71	6	master and (slave end near effector) and orientation near3 (master and (slave end near effector)) and mode same (master slave) and (error difference) near3 orientation and absolute and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:54
S72	1	master and (slave end near effector) and orientation near3 (master and (slave end near effector)) same (error difference) near3 orientation and absolute and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:56
S73	29	master and (slave end near effector) and (position orientation) near3 (master and (slave end near effector)) same (error difference) near3 (position orientation) and absolute and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:56
S74	3	(position orientation) near3 (master and (slave end near effector)) same (error difference) near3 (position orientation) same absolute and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:57
S75	1	(position orientation) near3 (master and (slave end near effector)) same (error difference) near3 (position orientation) with absolute and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 12:57
S76	3	(position orientation) near3 (master and (slave end near effector)) same (error difference) with absolute and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 13:00

S77	4	(position orientation) near3 (master and (slave end near effector)) same (error difference) with absolute	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 13:01
S78	62	(position orientation) near3 (master and (slave end near effector)) same (error difference) and absolute	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 13:00
S79	35	(position orientation) near3 (master and (slave end near effector)) with (error difference) and absolute	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 13:00
S80	59	(position orientation) near3 (master and (slave end near effector)) same (error difference) and absolute and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 13:00
S81	59	(position orientation) near3 (master and (slave end near effector)) same (error difference) and absolute and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 13:00
S82	33	(position orientation) near3 (master and (slave end near effector)) with (error difference) and absolute and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 13:05
S83	3	(position orientation) near3 (master and (slave end near effector)) same (error difference) with absolute and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 13:01
S84	32	(position orientation) near3 (master with (slave end near effector)) with (error difference) and absolute and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 13:05
S85	12	(error difference) near3 (position orientation) near3 (master and (slave end near effector)) and absolute and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 13:07
S86	5	(error difference) near3 (position orientation) near3 (master and (slave end near effector)) and absolute near3 (error difference position orientation) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 13:09

S87	6	(error difference) near3 (position orientation) near3 (master and (slave end near effector)) and absolute near3 (error difference position orientation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 13:09
-----	---	---	---	----	----	------------------